

9X03-016C-MXEX-4536-T0L7-2W2F****_****

Windows NT based 6.2
AMD64
Wow64Process
WinAspi: -

NTSPTI used

Nero Version: 10.0.10.10
Internal Version: 10,0,10,10
(Nero Express)

Recorder: <hp CDDVDW SN-208DB> Version: HH01 - HA1 A0 - 10.0.10.100

Adapter driver: <SerialATA> HA1

Drive buffer : 1024kB

Bus Type : via Inquiry data

Connected to MMC as unknown drive with class-nr : 1

Drive is autodetected - recorder class: Std. MMC recorder

CD-ROM: <hp CDDVDW SN-208DB >Version: HH01 - HA1 A0 - 10.0.10.100

Adapter driver: <SerialATA> HA1

=== Scsi-Device-Map ===

: ST500I012-9WS140001 storahci Port 0 ID 0 DMA: Off

: hp CDDVDW SN-208DB HH01 storahci Port 0 ID 0 DMA: Off

=== CDRom-Device-Map ===

hp CDDVDW SN-208DB D: CdRom0

=====

AutoRun : 1

Excluded drive IDs:

WriteBufferSize: 83886080 (0) Byte

BUFE : 0

Physical memory : 2047MB (2097151kB)

Free physical memory: 2047MB (2097151kB)

Memory in use : 38 %

Uncached PFiles: 0x0

Global Bus Type: default (0)

Check supported media : Disabled (0)

30.1.2023

CD-ROM (ISO)

3:44:41 p. m.

#1.txt 0 File SCSIPTICommands.cpp, Line 464

LockMCN - completed sucessfully for IOCTL_STORAGE_MCN_CONTROL

3:44:43 p. m.

#2.txt 0 File Isodoc.cpp, Line 6956

Iso document burn settings

Determine maximum speed : FALSE

Simulate : FALSE

Write : TRUE

Finalize CD : TRUE

Multisession : FALSE

Burning mode : DAO

Mode : 1

ISO Level : 1 (Max. of 1 = 8 + 3 char)

Character set : ISO 9660

Joliet : TRUE

Allow pathdepth more than 8 directories : TRUE

Allow more than 255 characters in path : TRUE
 Write ISO9660 ;1 file extensions : TRUE

3:44:43 p. m.

#3 Ext 0 File Burncd.cpp, Line 3238
 hp CDDVDW SN-208DB
 Protección contra insuf. datos activado

3:44:43 p. m.

#4 ISO9660GEN -1 File Geniso.cpp, Line 3336
 First writeable address = 0 (0x00000000)

3:44:43 p. m.

#5 Ext 0 File Burncd.cpp, Line 3568
 Turn on Disc-At-Once, using CD-R/RW media

3:44:43 p. m.

#6 Ext 0 File DlgWaitCD.cpp, Line 314
 [D: CDDVDW SN-208DB] Last possible write address on media: 359843
 Last address to be written: 3135

3:44:43 p. m.

#7 Ext 0 File DlgWaitCD.cpp, Line 326
 [D: CDDVDW SN-208DB] Write in overburning mode: NO (enabled: CD)

3:44:43 p. m.

#8 Ext 0 File DlgWaitCD.cpp, Line 2890
 Recorder: hp CDDVDW SN-208DB;
 CDR code: 00 97 26 66; OSJ entry from: CMC Magnetics Corporation
 AIP Data:
 Special Info [hex] 1: D0 00 98, 2: 61 1A42 (LI 97:26.66), 3: 4F 3B 47 (LO 79:59.71)
 Additional Info [hex] 1: 00 00 80 (invalid), 2: 00 80 00 (invalid), 3: 00 80 80 (invalid)

3:44:43 p. m.

#9 Ext 0 File DlgWaitCD.cpp, Line 499
 [D: CDDVDW SN-208DB] >>> Protocol of DlgWaitCD activities: <<<
 =====

3:44:43 p. m.

#10 Ext 0 File ThreadedTransferInterface.cpp, Line 785
 Setup items (after recorder preparation)
 0: TRM_DAO_MODE1 ()
 2 indices, index0 (150) not provided
 original disc pos #0 + 3136 (3136) = #3136/0:41.61
 relocatable, disc pos for caching/writing not required/ required
 -> TRM_DAO_MODE1, 2048, config 0, wanted index0 0 blocks, length 3136 blocks [D: hp CDDVDW SN-208DB]

3:44:43 p. m.

#11 Ext 0 File ThreadedTransferInterface.cpp, Line 1001
 Prepare [D: hp CDDVDW SN-208DB] for write in CUE-sheet-DAO
 DAO infos:
 =====
 MCN: ""
 TOC type: 0x00; Session Closed, disc fixated
 Tracks 1 to 1: Idx 0 Idx 1 Next Trk
 1: TRM_DAO_MODE1, 2048/0x00, FilePos 0 307200 6729728, ISRC ""
 DAO layout:
 =====

Start	Track	Idx	CtrlAdr	Size	NWA	RecDep
-150	lead-in	0	0x41	0	0	0x00
-150	1	0	0x41	0	0	0x00
0	1	1	0x41	3136	0	0x00
3136	lead-out	1	0x41	0	0	0x00

 Media type: CD-R

3:44:43 p. m.

#12 Ext 0 File SCSIPTICommands.cpp, Line 251
 SPTILockVolume - completed successfully for FSCTL_LOCK_VOLUME

3:44:43 p. m. #13ext 0 File Burncd.cpp, Line 4278
Caching options: cache CDRom or Network-~~vs~~s, small files-No (<64KB)

3:44:43 p. m. #14 PHASE 24 File dlgrnst.cpp, Line 1827
Caching of files started

3:44:43 p. m. #15ext 0 File Burncd.cpp, Line 4400
Cache writing successful.

3:44:43 p. m. #16 PHASE 25 File dlgrnst.cpp, Line 1827
Caching of files completed

3:44:43 p. m. #17 PHASE 36 File dlgrnst.cpp, Line 1827
Burn process started at 24x (3.600 KB/s)

3:44:44 p. m. #18ext 0 File ThreadedTransferInterface.cpp, Line 2769
Verifying disc position of item 0 (relocatable, disc pos, no patch infos, orig at #0): write at #0

3:44:44 p. m. #19ext 0 File MMC.cpp, Line 17645
StartDAO : CD-ext - Off

3:44:44 p. m. #20ext 0 File MMC.cpp, Line 21660
Set BUFE: Buffer underrun protection -> ON

3:44:44 p. m. #21ext 0 File MMC.cpp, Line 17873
CueData, Len=32
41 00 00 14 00 00 00 00
41 01 00 10 00 00 00 00
41 01 01 10 00 00 02 00
41 aa 01 14 00 00 2b 3d

3:44:44 p. m. #22ext 0 File ThreadedTransfer.cpp, Line 273
Pipe memory size 83836800

3:45:02 p. m. #23ext 0 File Cdrdrv.cpp, Line 1275
15:45:02.796 - D: hp CDDVDW SN-208DB : Queue again later

3:45:06 p. m. #24ext 0 File Cdrdrv.cpp, Line 1275
15:45:06.210 - D: hp CDDVDW SN-208DB : Queue again later

3:45:20 p. m. #25ext 0 File Cdrdrv.cpp, Line 1275
15:45:20.928 - D: hp CDDVDW SN-208DB : Queue again later

3:45:21 p. m. #26ext 0 File Cdrdrv.cpp, Line 1275
15:45:21.006 - D: hp CDDVDW SN-208DB : Queue again later

3:45:21 p. m. #27ext 0 File Cdrdrv.cpp, Line 1275
15:45:21.083 - D: hp CDDVDW SN-208DB : Queue again later

3:45:21 p. m. #28ext 0 File Cdrdrv.cpp, Line 1275
15:45:21.130 - D: hp CDDVDW SN-208DB : Queue again later

3:45:21 p. m. #29ext 0 File Cdrdrv.cpp, Line 1275
15:45:21.207 - D: hp CDDVDW SN-208DB : Queue again later

3:45:21 p. m. #30ext 0 File Cdrdrv.cpp, Line 1275
15:45:21.285 - D: hp CDDVDW SN-208DB : Queue again later

3:45:21 p. m. #31ext 0 File Cdrdrv.cpp, Line 1275

15:45:21.362 - D: hp CDDVDW SN-208DB : Queue again later

3:45:21 p. m. #32ext 0 File Cdrdrvcpp, Line 1275
15:45:21.440 - D: hp CDDVDW SN-208DB : Queue again later

3:45:21 p. m. #33ext 0 File Cdrdrvcpp, Line 1275
15:45:21.486 - D: hp CDDVDW SN-208DB : Queue again later

3:45:21 p. m. #34ext 0 File Cdrdrvcpp, Line 1275
15:45:21.563 - D: hp CDDVDW SN-208DB : Queue again later

3:45:21 p. m. #35ext 0 File Cdrdrvcpp, Line 1275
15:45:21.673 - D: hp CDDVDW SN-208DB : Queue again later

3:45:21 p. m. #36ext 0 File Cdrdrvcpp, Line 1275
15:45:21.719 - D: hp CDDVDW SN-208DB : Queue again later

3:45:21 p. m. #37ext 0 File Cdrdrvcpp, Line 1275
15:45:21.796 - D: hp CDDVDW SN-208DB : Queue again later

3:45:21 p. m. #38ext 0 File Cdrdrvcpp, Line 1275
15:45:21.873 - D: hp CDDVDW SN-208DB : Queue again later

3:45:21 p. m. #39ext 0 File Cdrdrvcpp, Line 1275
15:45:21.997 - D: hp CDDVDW SN-208DB : Queue again later

3:45:22 p. m. #40ext 0 File Cdrdrvcpp, Line 1275
15:45:22.074 - D: hp CDDVDW SN-208DB : Queue again later

3:45:22 p. m. #41ext 0 File Cdrdrvcpp, Line 1275
15:45:22.152 - D: hp CDDVDW SN-208DB : Queue again later

3:45:22 p. m. #42ext 0 File Cdrdrvcpp, Line 1275
15:45:22.229 - D: hp CDDVDW SN-208DB : Queue again later

3:45:22 p. m. #43ext 0 File Cdrdrvcpp, Line 1275
15:45:22.353 - D: hp CDDVDW SN-208DB : Queue again later

3:45:22 p. m. #44ext 0 File Cdrdrvcpp, Line 1275
15:45:22.430 - D: hp CDDVDW SN-208DB : Queue again later

3:45:22 p. m. #45ext 0 File Cdrdrvcpp, Line 1275
15:45:22.507 - D: hp CDDVDW SN-208DB : Queue again later

3:45:22 p. m. #46ext 0 File Cdrdrvcpp, Line 1275
15:45:22.662 - D: hp CDDVDW SN-208DB : Queue again later

3:45:22 p. m. #47ext 0 File Cdrdrvcpp, Line 1275
15:45:22.739 - D: hp CDDVDW SN-208DB : Queue again later

3:45:22 p. m. #48ext 0 File Cdrdrvcpp, Line 1275
15:45:22.816 - D: hp CDDVDW SN-208DB : Queue again later

3:45:22 p. m. #49ext 0 File Cdrdrvcpp, Line 1275
15:45:22.863 - D: hp CDDVDW SN-208DB : Queue again later

3:45:22 p. m. #50ext 0 File Cdrdrvcpp, Line 1275
15:45:22.971 - D: hp CDDVDW SN-208DB : Queue again later

3:45:23 p. m. #51ext 0 File Cdrdrvcpp, Line 1275

15:45:23.017 - D: hp CDDVDW SN-208DB : Queue again later

3:45:23 p. m. #52ext 0 File Cdrdrvcpp, Line 1275
15:45:23.094 - D: hp CDDVDW SN-208DB : Queue again later

3:45:23 p. m. #53ext 0 File Cdrdrvcpp, Line 1275
15:45:23.172 - D: hp CDDVDW SN-208DB : Queue again later

3:45:23 p. m. #54ext 0 File Cdrdrvcpp, Line 1275
15:45:23.281 - D: hp CDDVDW SN-208DB : Queue again later

3:45:23 p. m. #55ext 0 File Cdrdrvcpp, Line 1275
15:45:23.327 - D: hp CDDVDW SN-208DB : Queue again later

3:45:23 p. m. #56ext 0 File Cdrdrvcpp, Line 1275
15:45:23.405 - D: hp CDDVDW SN-208DB : Queue again later

3:45:23 p. m. #57ext 0 File Cdrdrvcpp, Line 1275
15:45:23.482 - D: hp CDDVDW SN-208DB : Queue again later

3:45:23 p. m. #58ext 0 File Cdrdrvcpp, Line 1275
15:45:23.606 - D: hp CDDVDW SN-208DB : Queue again later

3:45:23 p. m. #59ext 0 File Cdrdrvcpp, Line 1275
15:45:23.683 - D: hp CDDVDW SN-208DB : Queue again later

3:45:23 p. m. #60ext 0 File Cdrdrvcpp, Line 1275
15:45:23.760 - D: hp CDDVDW SN-208DB : Queue again later

3:45:23 p. m. #61ext 0 File Cdrdrvcpp, Line 1275
15:45:23.838 - D: hp CDDVDW SN-208DB : Queue again later

3:45:23 p. m. #62ext 0 File Cdrdrvcpp, Line 1275
15:45:23.946 - D: hp CDDVDW SN-208DB : Queue again later

3:45:23 p. m. #63ext 0 File Cdrdrvcpp, Line 1275
15:45:23.992 - D: hp CDDVDW SN-208DB : Queue again later

3:45:24 p. m. #64ext 0 File Cdrdrvcpp, Line 1275
15:45:24.070 - D: hp CDDVDW SN-208DB : Queue again later

3:45:24 p. m. #65ext 0 File Cdrdrvcpp, Line 1275
15:45:24.149 - D: hp CDDVDW SN-208DB : Queue again later

3:45:24 p. m. #66ext 0 File Cdrdrvcpp, Line 1275
15:45:24.257 - D: hp CDDVDW SN-208DB : Queue again later

3:45:24 p. m. #67ext 0 File Cdrdrvcpp, Line 1275
15:45:24.303 - D: hp CDDVDW SN-208DB : Queue again later

3:45:24 p. m. #68ext 0 File Cdrdrvcpp, Line 1275
15:45:24.381 - D: hp CDDVDW SN-208DB : Queue again later

3:45:24 p. m. #69ext 0 File Cdrdrvcpp, Line 1275
15:45:24.458 - D: hp CDDVDW SN-208DB : Queue again later

3:45:24 p. m. #70ext 0 File Cdrdrvcpp, Line 1275
15:45:24.566 - D: hp CDDVDW SN-208DB : Queue again later

3:45:24 p. m. #71ext 0 File WriterStatus.cpp, Line 244

<D: hp CDDVDW SN-208DB> start writing Lead-Out at LBA3136 (C40h), length 0 blocks

3:45:34 p. m. #72 SPTI -169 File SCSIPassThrough.cpp, Line 217
CdRom0: SCSIStatus(x02) WinError(0) NeroError(-169)
CDB Data: 0x51 00 00 00 00 00 00 00 20 00 00 00
Sense Key: 0x02 (KEY_NOT_READY)
Sense Code: 0x04
Sense Qual: 0x08
SenseArea: 0x70 00 02 00 00 00 00 0A00 00 00 00 04 08
Buffer x050a4980: Len x20

3:45:58 p. m. #73 x0 File DVDPlusDualLayer.cpp, Line 1460
SetDriveCaps: Set LASTLBAof layer 1 to 0

3:45:58 p. m. #74 PHASE 37 File dlgrnst.cpp, Line 1827
Burn process completed successfully at 24x (3.600 KB/s)

3:45:58 p. m. #75 x0 File SCSIPTICommands.cpp, Line 301
SPTIDismountVolume - completed successfully for FSCTL_DISMOUNT_VOLUME

3:45:58 p. m. #76 x0 File Cdrdrv.cpp, Line 1916
DriveLocker: UnlockVolume completed

3:45:58 p. m. #77 x0 File SCSIPTICommands.cpp, Line 464
UnlockMCN - completed successfully for IOCTL_STORAGE_MCN_CONTROL

Existing drivers:

Registry Keys:

HKLM\Software\Microsoft\Windows NT\CurrentVersion\WinLogon